

ORTEC[®]

RADEAGLE

Next Generation Radioisotope Identification Device



Detection and Identification:
Fast, Accurate and Easy

AMETEK[®]
ADVANCED MEASUREMENT TECHNOLOGY

RADEAGLE

RADEAGLE is a state-of-the-art handheld, radioisotope identification device (RIID) delivering superior speed and accuracy.

- Combining a large, high sensitivity crystal with an intelligent algorithm, the RADEAGLE can **quickly, accurately, and simultaneously detect and identify** four or more isotopes, typically in under 30 seconds, even in complex shielded or masked scenarios.
- **ANSI 42.34 compliant**, the RADEAGLE offers a **user-friendly interface** that is intuitive, simple to navigate, provides visually clarity, and utilizes an extensive array of alarms.
- Supports a **variety of scintillation crystals** including NaI(Tl), CeBr3 and LaBr3(Ce) to optimize performance across multiple applications.
- Incorporating **decades of industry expertise** in detection and identification algorithms along with advanced hardware, electrical, and software systems, the **RADEAGLE is the handheld RIID of choice**.

Key Customers and Applications

- ✓ First Responders and Emergency Management
- ✓ Customs and Border Protection
- ✓ Security and Military Forces
- ✓ Nuclear Safeguards
- ✓ Environmental Management and Cleanup
- ✓ Nuclear Medicine and Scientific Institutes
- ✓ Scrap Steel and Recycling

Intelligent Algorithm – Unparalleled Speed and Accuracy





The RADEAGLE algorithm is unique, using a neuron ensemble to create a multi-agent system. This multi-agent system in turn uses a mimetic learning algorithm that adapts reference data to the unique signature of the detector's sensors. While continuously measuring background radiation, this “neuro-spectroscopic brain,” delivers unparalleled speed and accuracy for detecting and identifying over 100 nuclides, exceeding ANSI 42.34 requirements.



RADEAGLE

Operating Modes

The RADEAGLE uses five basic operating modes: Dose Rate, Detect, Easy-ID, Spectrum, and Advanced. These **five simple modes gives the user full system control** ranging from quick and accurate identification to extensive spectrum analysis to expert system configurations.



Application Centric Approach

A key benefit of the RADEAGLE algorithm is its optimization for multiple real-world applications. Through extensive simulation, validated and refined with real world empirical testing, the RADEAGLE's performance is tuned and optimized for key isotopes associated with SNM in the nuclear security and safeguards market, NORM and IND for environmental and industrial applications and MED for nuclear medicine. Underwater measurements are also supported with a submersible, NaI model.

Common Technical Specifications

RADIOLOGICAL PERFORMANCE	
Energy Range/MCA	11 keV to 3 MeV / 2048 channels
Calibration Source	Natural background. Optional embedded calibration source.
Nuclide Library	<p>Default Isotopes: ^{110m}Ag, ²⁴¹Am, ¹³³Ba, ²⁰⁷Pb, ¹⁰⁹Cd, ²⁵²Cf (requires neutron detection), ⁵⁷Co, ⁶⁰Co, ⁵¹Cr, ¹³⁴Cs, ¹³⁷Cs, ¹⁵²Eu, ⁶⁸Ga, ¹²³I, ¹²⁵I, ¹³¹I, ¹¹¹In, ⁴⁰K, ⁵⁴Mn, ^{99m}Tc, ²²Na, ²³⁷Np, ²³⁸Pu, ²³⁹Pu, (²⁴⁰Pu, ²⁴¹Pu as part of compositions) ²²⁶Ra, ⁷⁵Se, ^{99m}Tc, ²³²Th, ²⁰¹Tl, ²³³U, ²³⁵U, ²³⁸U</p> <p>Optional Isotopes (contact factory): ^{109m}Ag, ¹⁹⁸Au, ^{135m}Ba, ¹⁴⁰Ba, ²¹³Bi, ¹¹⁶Cd, ⁵⁸Co, ¹³⁹Ce, ¹⁴¹Ce, ¹⁴⁴Ce, ¹³¹Cs, ⁶⁴Cu, ⁶⁷Cu, ¹⁶⁵Dy, ¹⁸F, ⁵⁹Fe, ⁶⁷Ga, ⁶⁸Ge, ^{166m}Ho, ¹²⁴I, ¹³²I, ¹³³I, ¹⁹⁴Ir, ⁴²K, ^{81m}Kr, ¹³⁸La, ¹⁴⁰La, ¹⁷³Lu, ¹⁷⁴Lu, ¹⁷⁶Lu, ¹⁷⁷Lu, ^{177m}Lu, ⁵⁶Mn, ²⁴Na, ⁹⁵Nb, ⁹⁶Nb, ¹⁴⁷Nd, ²¹²Pb, ¹⁰³Pd, ¹⁴⁴Pr, ⁸²Rb, ¹⁸⁶Re, ¹⁸⁸Re, ¹⁰⁶Rh, ¹⁰³Ru, ¹⁰⁶Ru, ¹⁵³Sm, ¹¹³Sn, ⁸²Sr, ⁸⁹Sr, ⁹⁰Sr, ¹³²Te, ²²⁸Th, ⁴⁴Ti, ²⁰²Tl, ²⁰⁴Tl, ²³²U, ²³⁷U, ¹⁸⁷W, ^{131m}Xe, ¹³³Xe, ^{133m}Xe, ¹³⁵Xe, ⁸⁸Y, ⁹⁰Y, ¹⁶⁹Yb, ¹⁷⁷Yb, ⁶⁵Zn, ⁹⁵Zr</p>
Nuclide Categories	Special nuclear material (SNM), Naturally occurring radiation (NORM), Industrial emitter (IND), or Medical source (MED)
PHYSICAL	
Dimensions	248 mm x 115 mm x 152 mm (9.8" x 4.5" x 6.0")
Display	640 x 480, 89 mm (3.5") Transflective Color TFT
Batteries	Rechargeable AA NiMH battery pack, auxiliary battery case for AA NiMH or alkaline
Operational Run Time	>8 hours with standard battery pack
ENVIRONMENTAL	
Operating Temperature	-20 °C to +50 °C (-4 °F to +122 °F)
Relative Humidity	10% – 90%, non-condensing
Protection Rating	IP65, (3SGA models are IP68)
COMPUTATIONAL	
Memory	>16 GB (1,000,000 spectra)
CPU Speed	1 GHz
File Formats	ANSI N42.42, SPE (IAEA)
Connectivity	USB, WiFi, GPS (optional)
SOFTWARE	
Operating System	Microsoft Windows (XP, Vista, 7, 8, 10), MAC OS X Yosemite, Linux (tested for Ubuntu)

RADEAGLE

Model Specific Technical Specifications

Model*	Detector Type	Detector Dimensions	PMT	GM	He ³ **	Resolution @ 662 keV ¹³⁷ Cs at ambient room temp	Sensitivity cps/μSv/h @ 662 keV ¹³⁷ Cs	Dose Rate Range Detector μSv/h	Dose Rate Range GM, up to Sv/h	Weight (grams)
RADEAGLE-3SG	NaI(Tl)	76.2x25.4 mm (3x1 in)	3"	✓		≤7.2%	>2500	0.01–200	1	~2620
RADEAGLE-3SG-H	NaI(Tl)	76.2x25.4 mm (3x1 in)	3"	✓	✓	≤7.2%	>2500	0.01–200	1	~2720
RADEAGLE-3SGA	NaI(Tl)	76.2x25.4 mm (3x1 in)	3"	✓		≤7.2%	>2500	0.01–200	1	~2620
RADEAGLE-3SGA-H	NaI(Tl)	76.2x25.4 mm (3x1 in)	3"	✓	✓	≤7.2%	>2500	0.01–200	1	~2720
RADEAGLE-2CG	CeBr3	50.8x25.4 mm (2x1 in)	3"	✓		≤4.0%	>1600	0.01–300	1	~2200
RADEAGLE-2CG-H	CeBr3	50.8x25.4 mm (2x1 in)	3"	✓	✓	≤4.0%	>1600	0.01–300	1	~2620
RADEAGLE-3CG	CeBr3	76.2x20.3 mm(3x0.8 in)	3"	✓		≤4.0%	>2500	0.01–200	1	~2620
RADEAGLE-3CG-H	CeBr3	76.2x20.3 mm(3x0.8 in)	3"	✓	✓	≤4.0%	>2500	0.01–200	1	~2720
RADEAGLE-2LG	LaBr3(Ce)	50.8x25.4 mm (2x1 in)	3"	✓		≤3.0%	>1600	0.01–300	1	~2250
RADEAGLE-2LG-H	LaBr3(Ce)	50.8x25.4 mm (2x1 in)	3"	✓	✓	≤3.0%	>1600	0.01–300	1	~2550

*see ordering information for GPS models

**with internal moderator



RADEAGLE

RADEAGLE AQUA

- IP 68
- Submersible to 15 meters
- Tested and proven ID algorithm with special modification to compensate for attenuation and scatter in water
- Floats in the water
- Rugged and durable for military use
- Bright yellow color for easy location in water
- Ideal for use in maritime environments — immune to salt spray



It Floats!



Ordering Information (All models include carrying case and accessories)

Model	Description
RADEAGLE-3SG	Gamma Handheld RIID with 3x1 NaI(Tl) detector and GM tube.
RADEAGLE-3SG-ES	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube and embedded calibration source.
RADEAGLE-3SG-GPS	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube and GPS.
RADEAGLE-3SG-GPS-ES	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube, GPS and embedded calibration source.
RADEAGLE-3SG-H	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, and He-3 detector.
RADEAGLE-3SG-H-ES	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, He-3 detector and embedded calibration source.
RADEAGLE-3SG-H-GPS	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, He-3 detector and GPS.
RADEAGLE-3SG-H-GPS-ES	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, He-3 detector GPS and embedded calibration source.
RADEAGLE-3SGA	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube and AQUA option.
RADEAGLE-3SGA-ES	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option and embedded calibration source.
RADEAGLE-3SGA-GPS	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option and GPS.
RADEAGLE-3SGA-GPS-ES	Gamma Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option, GPS and embedded calibration source.
RADEAGLE-3SGA-H	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option and He-3 detector.
RADEAGLE-3SGA-H-ES	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option, He-3 detector and embedded calibration source.
RADEAGLE-3SGA-H-GPS	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option, He-3 detector, and GPS.
RADEAGLE-3SGA-H-GPS-ES	Gamma/Neutron Handheld RIID with 3x1 NaI(Tl) detector, GM tube, AQUA option, He-3 detector, GPS and embedded calibration source.
RADEAGLE-2CG	Gamma Handheld RIID with 2x1 CeBr3 detector and GM tube.
RADEAGLE-2CG-ES	Gamma Handheld RIID with 2x1 CeBr3 detector, GM tube and embedded calibration source.
RADEAGLE-2CG-GPS	Gamma Handheld RIID with 2x1 CeBr3 detector, GM tube and GPS.
RADEAGLE-2CG-GPS-ES	Gamma Handheld RIID with 2x1 CeBr3 detector, GM tube, GPS and embedded calibration source.
RADEAGLE-2CG-H	Gamma/Neutron Handheld RIID with 2x1 CeBr3 detector, GM tube and He-3 detector.
RADEAGLE-2CG-H-ES	Gamma/Neutron Handheld RIID with 2x1 CeBr3 detector, GM tube, He-3 detector and embedded calibration source.
RADEAGLE-2CG-H-GPS	Gamma/Neutron Handheld RIID with 2x1 CeBr3 detector, GM tube, He-3 detector and GPS.
RADEAGLE-2CG-H-GPS-ES	Gamma/Neutron Handheld RIID with 2x1 CeBr3 detector, GM tube, He-3 detector, GPS and embedded calibration source.
RADEAGLE-3CG	Gamma Handheld RIID with 3x0.8 CeBr3 detector and GM tube.
RADEAGLE-3CG-ES	Gamma Handheld RIID with 3x0.8 CeBr3 detector, GM tube and embedded calibration source.
RADEAGLE-3CG-GPS	Gamma Handheld RIID with 3x0.8 CeBr3 detector, GM tube and GPS.
RADEAGLE-3CG-GPS-ES	Gamma Handheld RIID with 3x0.8 CeBr3 detector, GM tube, GPS and embedded calibration source.
RADEAGLE-3CG-H	Gamma/Neutron Handheld RIID with 3x0.8 CeBr3 detector, GM tube and He-3 detector.
RADEAGLE-3CG-H-ES	Gamma/Neutron Handheld RIID with 3x0.8 CeBr3 detector, GM tube, He-3 detector and embedded calibration source.
RADEAGLE-3CG-H-GPS	Gamma/Neutron Handheld RIID with 3x0.8 CeBr3 detector, GM tube, He-3 detector and GPS.
RADEAGLE-3CG-H-GPS-ES	Gamma/Neutron Handheld RIID with 3x0.8 CeBr3 detector, GM tube, He-3 detector, GPS and embedded calibration source.

RADEAGLE

Ordering Information – continued

Model	Description
RADEAGLE-2LG	Gamma Handheld RIID with 2x1 LaBr3(Ce) detector and GM tube.
RADEAGLE-2LG-GPS	Gamma Handheld RIID with 2x1 LaBr3(Ce) detector, GM tube and GPS.
RADEAGLE-2LG-H	Gamma/Neutron Handheld RIID with 2x1 LaBr3(Ce) detector, GM tube and He-3 detector.
RADEAGLE-2LG-H-GPS	Gamma/Neutron Handheld RIID with 2x1 LaBr3(Ce) detector, GM tube, He-3 detector and GPS.
Accessories	
RE-AP009-1	Accu-Pack Battery Charger with battery (spare)
RE-AP009-2	Accu-Pack Battery Charger only.
RE-CA019	Auto Power Adapter, 12 V
RE-CC022	Carrying Case
RE-CM020	Charger Module
RE-HB021	Carrying Holster with Strap

Specifications subject to change
062921

ORTEC[®]

www.ortec-online.com

Tel. (865) 482-4411 • Fax (865) 483-0396 • ortec.info@ametek.com
801 South Illinois Ave., Oak Ridge, TN 37830 U.S.A.
For International Office Locations, Visit Our Website

AMETEK[®]